

journal of healthcare
PROTECTION
management

Volume 32, Number 1

Cost versus investment: how does the C-suite view the security function?

Bryan Warren, MBA, CHPA, CPO-1

Adapting healthcare security officer training to changing times

John M. Demming, CHSS, CAHSO

IAHSS certification rollout: helping officers succeed

Kit Tarvin-Peek, CHPA

Total quality leadership tactics for healthcare security teams

William Losefsky, CHPA, Kevin Mulcahy

Shared governance team develops standard onboarding process

Paul M. Sarnese, CHPA

Resources available for applying metrics in security and safety programming

Anthony Luizzo, PhD, CFE, CST, PI (Ret. NYPD)

Critical partners in domestic violence advocacy—a unique collaboration

Jennifer Goba, CPP

What every healthcare facility should do now to reduce the potential for workplace violence

Thomas A. Smith, CHPA, CPP

The value of prevention: managing the risks associated with targeted violence and active shooters

Matthew Doherty

Workplace violence mitigation: the three-year model

Justin Harmon, CHPA

Hospital incident command system: tool for a TJC accreditation survey

Kenneth A. Shaw, CEM, CHPA, CHEP, Karen D. Wilson, MBA, PMP, CEM, CHEP, FACHE, and Judy E. Brown, MSN, MAS, RN, NEA-BC, FACHE

Publication of the International Association for Healthcare Security & Safety

Leading Excellence in Healthcare Security, Safety and Emergency Management



*Building A Better
Security/Safety/Emergency Management
Department*

NFPA 99 Chapter 13 and healthcare security management

Michael S. D'Angelo, CPP

How to determine appropriate lighting levels as part of a total security program

Dana M. Frenzt, CHPA

Teaching EHRs security with simulation

Mark Gaynor, Tracy Omer, and Jason S. Turner

Tourniquet use by security officers

Travis Naito

The need for patrol rifles in a hospital

Ryan M. Bonacci

Predicting violent behavior in a mental health inpatient unit

Kristen E. Miller, DrPH, MSPH, Mark E. Benden, PhD, MS, Eva M. Shipp, PhD, MS, Adam W. Pickens, PhD, MPH, Monica L. Wendel, DrPH, MA, Peter J. Pronovost, MD, PhD, and B. Vince Watts, MD, MPH

Use of K-9 units in healthcare: a history

Paul M. Sarnese, CHPA



What every healthcare facility should do now to reduce the potential for workplace violence

Thomas A. Smith, CHPA, CPP

The prevalence and growth of violence in healthcare facilities has now been recognized by government and regulatory agencies, the author reports, but there continues to be a general lack of understanding and support of security and safety by some hospital administrators. In this article he presents the options that should be considered for reducing violence and outlines the steps which can be taken to reduce the number of violent incidents and effectively respond if they do occur.

(Thomas A. Smith, CHPA, CPP is president of Healthcare Security Consultants Inc., Chapel Hill, NC. He formerly served as Director of Hospital Police & Transportation, UNC Health Care, is a co-author of the IAHS annual crime survey, and a past president of IAHS.)

RECOGNIZING THE FACTS ABOUT VIOLENCE AND CRIME IN HEALTHCARE FACILITIES

Contrary to the national trend of reduced crime, healthcare facilities have experienced increasing numbers of workplace violence incidents. According to the 2014 crime survey conducted by IAHS, the rate of violent crime in American healthcare facilities rose by 25 percent from 2012 to 2013, and the rate of disorderly conduct jumped by 40 percent. Increasing workplace violence has also been recognized by major regulatory bodies including The Joint Commission (TJC) and the Occupational Safety and Health Administration (OSHA). In 2004, OSHA published Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers, OSHA Publication 3148, 2004. In 2010 TJC published Sentinel

Event Alert, Issue 45: Preventing violence in the health care setting. OSHA published a new Field Directive CPL 02-01-052 in September 2011. In this directive OSHA establishes general policy guidance and procedures for field offices to apply when conducting inspections in response to incidents of workplace violence. This document also identifies healthcare and late night retail establishments as the two industries with high incidents of workplace violence.

Healthcare workers in general, and ED and mental health staff, face a greater risk of violence than most other occupations. In 2004, OSHA reported that healthcare and social service workers account for nearly half (48%) of all nonfatal injuries reported in the U.S. from workplace violence and assaults. Healthcare worker deaths seem relatively rare--the Bureau of Labor reports 154 nursing, psychiatric, and home health aide fatal injuries from work-related incidents from 1995 to 2004. But International Council of Nurses (ICN) noted in 2009 that "healthcare workers are more likely to be attacked at work than prison guards and police officers.

Professional associations such as the International Association for Healthcare Security and Safety (IAHSS), Emergency Nurses Association (ENA), American College of Emergency Physicians (ACEP), and others have all developed position statements and guidelines for assisting HCFs in mitigating violence.

A SAMPLING OF DAILY INCIDENTS

In addition to this regulatory backdrop and push by professional organizations, every day there are incidents of workplace violence reported in the local news media. Here are a few incidents from HCFs across the country that have been reported during the past twelve months:

- On Jan. 20, a cardiac surgeon was shot at his clinic at Brigham and Women's Hospital in Boston. The shooter, who also took his own life, was the son of a 78-year-old patient, who had died shortly after a procedure the surgeon had performed in November.
- In July 2014, a patient shot and killed his case worker and wounded a physician at Mercy Wellness Center in Darby, PA. The wounded physician then

pulled a gun and shot the gun-wielding patient who was then subdued by other staff members in the clinic.

- In July 2014, video was released from an incident that had occurred May 16, 2014, in an Emergency Department in North Logan, Utah. In this incident, a patient entered the ED waiting room, pulled two guns and demanded to see his doctor saying that “someone is going to die today.” This patient was shot four times by law enforcement staff that happened to be on site for something unrelated.

THE NEED TO CONSIDER ALL THE OPTIONS FOR REDUCING VIOLENCE

In February 2015, TJC posted *Different Approaches to Mitigate Violence* in its Leadership Blog. The post focuses almost exclusively on the question of arming hospital security officers. In my consulting business I find many healthcare facilities are also focused, almost solely, on this question when considering what to do to reduce the potential for workplace violence. Arming security officers or having police officers on staff are certainly options. However, *there are many, many*

other options to also consider. Healthcare facilities should carefully assess all the options as they look to implement reasonable measures for reducing the potential for violence on their campuses.

What caused the increase in violence in our HCFs?

The cause of this seeming increased level of violence in our HCFs are many and varied, but here are the generally recognized factors that contribute to violent incidents:

- Increased wait times in our Emergency Departments.
- Unrestricted movement of the public in clinics and hospitals. Many HCFs have moved to “open visitation” meaning friends and family may visit anytime of the day or night. Some facilities are taking this to mean no limits on who or when persons may enter their facilities. There is no argument about the need for people to visit, but there must be reasonable checks and balances to limit risks to patients, visitors and staff.
- Reduced inpatient “institutional” mental health beds for high acuity patients. Most if not all states have reduced the num-

ber of inpatient beds for mental health care. The idea was to place these patients into community mental health outpatient programs. Funding for these programs has continued to be reduced since the 1980s resulting in many mental health patients going without care and ending in the criminal justice system.

- A general increase in patient acuity upon arrival in our EDs and Clinics. Many acute and chronic mentally ill patients are being released from hospitals without follow-up care. These patients have the right to refuse medicine and can no longer be hospitalized involuntarily unless they pose an immediate threat to themselves or others.

- Increasing use of hospitals by police and the criminal justice system for the care of acutely disturbed, violent individuals or as an alternative to already overcrowded jails.

Some controversial causes that should also be considered

Here are a couple of potentially controversial, and definitely not generally accepted items that I am throwing into this conversation. I am going to upset some of my NRA and Healthcare Administra-

tor colleagues with these, but here goes:

- Ease of access to weapons! There, I said it. I am a gun owner and 2nd Amendment supporter, but the existing laws need to be enforced, and some reasonable limits need to be in place on gun sales and possession (I did say this was a deep subject).

- A general lack of understanding and support of security and safety by some (not all) hospital leaders! There is immense pressure to contain costs within our healthcare systems. This pressure is felt most by non-revenue producing departments such as security. As a result, some administrators do not want to hear about the need for increased expenses in non-patient care areas. *(Example: I recently had a COO of a major healthcare system ask me, "Tom, why do we need any more security than the local cinema or grocery store chain." It was said with a straight face. I did my best to educate said COO of the above listed reasons why HCFs have more risk, higher incidents of violence etc...but I was not sure it sunk in to any serious degree. As most of you already know, COOs focus time, energy, attention*

and organizational resources on things that: 1) offer the potential for gain and 2) are causing them pain/risk. It's the allocation of scarce resources issue, and it's a key responsibility of COOs. Security doesn't provide an opportunity for gain, so a COO will only focus on security when it's causing them pain (risk). When things get bad enough, or the risks are clear enough, they'll provide the necessary resources. In this case, it was probably because I was not doing a good enough job clearly informing him of the risks and evolving standard of care.

WHAT CAN HEALTHCARE FACILITIES DO TO REDUCE THE POTENTIAL FOR VIOLENCE?

So what can and should hospitals do to reduce the potential for these incidents and to effectively respond if they do occur? Many HCFs want to consider initiatives such as arming security staff members, metal detectors, staffing with off duty police, active shooter training and drills etc... Depending on the circumstances, these may all be reasonable and appropriate options. However, before considering any major shift in preventive or reac-

tive measures, each HCF should at a minimum take the following actions to assess risk and implement measures to reduce the likelihood of an adverse incident and provide an effective response if one does occur.

1. Conduct a comprehensive evaluation of your security program - Reducing the likelihood of a serious incident involves a layered approach involving many aspects of security--including policies, procedures and training as well as physical security, design and other factors. A competent hospital security professional should lead this effort using a multidisciplinary team. Competent means someone with hospital experience and credentials (CHPA and/or CPP). The local PD may have some resources, but you want someone that understands healthcare. An assessment of this nature is not something that can be accomplished through the use of a checklist or online process. These may be helpful, but a combined group including members with knowledge of hospital security and your facility is ideal.

2. Workplace Violence Policy Assessment – Evaluate your pol-

icy and make sure it has senior leadership support. There are several excellent resources to assist in this process including OSHA's "Guidelines for Preventing Workplace Violence for Health Care and Social Services Workers", and the ASIS Workplace Violence Prevention and Intervention Standard. When surveying HCFs I find many have reasonable policies covering workplace violence, but they are rarely utilized even when incidents occur. The workplace violence policy must be routinely evaluated for effectiveness and measures put in place to educate and inform staff of the policy and their role.

3. Threat Management Team

– A threat assessment team will be part of any decent workplace violence program. Establish this team (usually composed of representatives from Legal, Security, Human Resources, Psychiatry, local law enforcement and others depending on the resources readily available in your HCF). Train the team and use them for threats. This group gets better with experiences as with most teams. Most facilities I see do not have a Threat Management Team. This is an essential element of the

workplace violence policy. There also must be a process to orient and train members of the team regarding the policy and their role.

4. Implement Flag Systems in the Electronic Medical Record

– Develop policies and procedures for identifying threatening patients and family members, and patients with violent criminal records. Patients and family members that have previously threatened and/or assaulted staff in the past should be identified and flagged so staff members that encounter them in the future have the benefit of the previous experiences. This then allows staff to take appropriate measures to protect themselves and others. I sometimes get feedback from some HCF leaders that they don't want to stigmatize or create a Pygmalion effect for patients that have previously had threatening behaviors. This can be avoided if there are reasonable and appropriate policies in place to protect patient privacy as well as protecting our staff members. *The best predictor of future behavior is past behavior.*

5. Design Security into New Construction and Renovation Projects – In the next decade

there will be billions of dollars spent on new construction and renovation projects. This is a major opportunity to build security into each project. The IAHS has developed Security Design Guidelines for Healthcare Facilities. HCFs and healthcare systems should consider these guidelines and develop systems security requirements that each design project implements as a required part of any new project. The IAHS Security Design Guidelines are intended to provide guidance to healthcare security practitioners, architects, and building owner representatives involved in the design process in order to ensure that these best practices are considered and integrated, where possible, into each new and renovated HCF space.

6. Training – Train staff in security sensitive areas on crisis intervention and security policies and procedures. Evaluate your current crisis training and consider if it meets your needs given this new era of violence toward healthcare and human service workers. Active shooter training and response protocols must be assessed and implemented.

CONSIDER THE RISKS... TAKE THE ACTION

In his article, *Risky Business: Working Where Violence Is the Norm*, Nicholas Genes MD, PhD, said: “Consider the lengths we'll go, as ED physicians, to avoid missing coronary events, or PE, or cord compression, or dissection. Consider the time and expense we take to risk-stratify patients, to reach an appropriate, high threshold for safe disposition. From that perspective, it's puzzling why we don't go to the same lengths to protect ourselves from violence. How did this cowboy mentality--that threats and violence should be tolerated--take hold? However we got here, we've come to accept a situation that wouldn't be tolerated anywhere else in the hospital, let alone in other industries.”

This increase in active shooter scenarios, crime numbers, and the routine threats hospitals face on a day-to-day basis all combine to make security at healthcare facilities more important than ever. This is a call to action. Every healthcare organization should consider the risks and take action to make sure you have reasonable, appropriate, risk based security programs in place.